Home Depot GE Caulk Service Visits – Project Instructions

Preparing for the Service Visit

- Prior to visiting the store to complete a service visit, please print out a copy of the service completion report to bring to the store with you. You can access the report by clicking on the 'pencil' icon under 'Report' on your profile log-in page.
 - Once you click on the 'pencil' icon, a pop up window will open. To print out a copy of the report, click on red box at the top of the report that reads "Print Version Click Here".
 - It is imperative that you use the service report for the specific store and service visit because the *unique id number* at the top of the page is necessary for you to get credit for the visit.

Completing Your Service Visit

• When you first arrive at the store, identify yourself at the service center and inform the store management that you are there to complete a GE Caulk service visit. Then, follow the steps listed below.

Step 1: Product Knowledge (PK)

- 1. Do a 3-5 minute PK with an available Home Depot store associate from the paint department.
- 2. Make sure that the store associate understands the benefits of GE caulking. To learn about the product, read the back of the tubing or the product information sheets (attached to this document).
- 3. Each time you visit the store you can go over another item and/or talk to a different associate

Step 2: Cross Merchandising

- 1. Make sure all cross merchandising racks are full. There should be about 8-10 racks around the store. A map of where the racks can be found in the store is attached to this document and available under 'POG' on your profile log-in page.
- 2. Take product out of the overhead to stock the wire racks
- 3. If any of the wire racks are damaged or missing, please contact Kim Ellen Cowan (kimellen.cowan@hgaquest.com) or Brian Bair (brian.bair@hgaquest.com) to request new racks for the store.

Step 3: Stock the Bay (If time permits)

- 1. If you still have time available during your shift, spend the remainder of your time stocking the GE caulk bay.
- 2. Check the POG (which is hanging in a pouch on the bay) and make sure all of the items are in the right place.
- Make sure to take picture(s) of the work you complete.
- At the end of the service visit, meet the store management to review what you accomplished and to let them know about any issues that you may have encountered. Have them sign your printed service completion report.
- Within 24 hours of completing your service visit, make sure to complete the online completion form (available by clicking on the 'pencil' icon), upload your completion picture(s) and to fax or scan and upload your printed service completion report (with the store signature).

Below are the correct instructions on how to get on the HD computer and order GE racks:

- Go to any HD Portal in store.
- Log onto MY APRON by using the following info; Log in (Gerran.Syfan@momentive.com), Password ("gerran123")
- Once on MY APRON, select top tab called MET.
- Select TOOLS
- Select EPOP
- Once into EPOP you can locate the available GE Racks by inserting the Part #s which have been previously provided.

Below is brief description of the racks available and their respective part #s:

PART# DESCRIPTION HD24CM GE Silicone Wire Rack – Concrete & Masonry HD24GF GE Silicone Wire rack – Gutter & Flashing GE Silicone Wire Rack – Groov Kitchen & Bath HD24GROOVKB GE Silicone Wire Rack – Groov Window & Door HD24GROOVWD GE Silicone Wire Rack – Silicone II Kitchen & Bath HD24KB HD24SUPREMEKB GE Silicone Wire Rack – Supreme Kitchen & Bath GE Silicone Wire Rack – Supreme Window & Door HD24SUPREMEWD HD24WD GE Silicone Wire Rack – Silicone II Window & Door

GE Silicone Wire Rack - XST Paintable HD24XST

^{*} Very Important to insert Store# on this last screen, since that is where these racks will need to be sent.

GE Product Positioning

GE Groov - Tough on the Job, Easy on You. Never before has caulk worked so well and been so easy to use -Combines the performance of Silicone and Acrylic - Performs and LASTS like Silicone, Easy to use and PAINT like Acrylic. Proprietary GE chemistry. Product should be positioned and advertised along with 'best' products. Launched June 2010.

Key Features: Tough on the job like Silicone

Keeps water out to protect from water damage

Seals gaps to save energy dollars for the long haul

Withstands all weather conditions

5 year mold-free protection

asy on you like Acrylic (and it is Paintable)

Easy to apply- even for first time users

Less mess and frustration - not too sticky, stringy or runny Applies smooth and clean - anyone can get professional results

No more long waits

30 minute paint-ready

1 hour shower-/rain- ready

Applies in hot, cold or wet weather - won't delay the project

Will never, ever, ever breakdown

Will not shrink crack or crumble over time Permanently waterproof and weatherproof

Kitchen/ Bath/ Plumbing White

SKU - 792-604

THD Retail \$7.97

Certifications: Eco Options Certified (Clean Air/ Low VOC)

NAHB Green Certified

Recommended For:

Mold & Mildew Protection

All painting applications that will be exposed to water

Add on for premium & low VOC paint promotions
Paint Promotions surrounding Earth Day, Eco Options, Spring Spruce Up

Interior/ Exterior White THD Retail

\$7.97

SKU - 792-637 Certifications:

Eco Options Certified - Home Sealing, Clean Air (Low VOC)

NAHB Green Certified Recommended For:

Weatherization/ Air Sealing

All painting applications that will be exposed to water
Add on for premium & low VOC paint promotions
Paint Promotions surrounding Earth Day, Eco Options, Spring Spruce Up

GE K/B & W/D Supreme - Formulated to offer consumers category leading benefits. Product should be positioned and advertised

along with 'best' products. K/B Supreme W/D Supreme - Launched June 2010

THD Retail SKUs 942-324 White

\$7.97

Key Features:

The ONLY 1 hour shower-ready caulk with 10 year mold-free product protection

HR SHOWER-READY

- Builds strength and adhesion fastWon't wash away when hit by water
- Increases speed, convenience and efficiency

- Won't delay use of the bathroom

10 YR MOLD FREE PRODUCT PROTECTION

- Withstands exposure to water and humidity
- Cured caulk protects against mold and mildew, an unsightly problem in the home which can also pose health issues New Cartridge - hitting for stores July '11

Keeps cured caulk mold- and mildew- free ten years, with regular cleaning

SKUs 317-656 White THD Retail \$7.97 318-159 THD Retail

Key Features:

The ONLY 1 hour rain-ready caulk with 2x the stretch. 2x STRETCH

- Withstands extreme expansion or contraction that can
- +/- 50% joint movement helps keep caulk from tearing or pulling away from joint. *important for homeowners
- Helps prevent gaps where air and water can seep through I HR RAIN-READY

Additional Features:

- Builds strength and adhesion fast
- Won't wash away when hit by rain Increases speed, convenience and efficiency
- Won't delay the project if rain is in the forecast

New Cartridge - hitting stores 3Q'11

Additional Features:

100% Silicone

- Permanently Waterproof silicone is impervious to water, meaning water can't penetrate it and will never

- Will not shrink crack or crumble over time
- Certifications:

Eco Options Certified (Clean Air/ Low VOC) NAHB Research Center Green Approved

Mold & Mildew Protection Spring Spruce Up Kitchen & Bath projects

- Permanently Weatherproof - withstands all weather conditions, remains permanently waterproof and flexible Ø 100 -Will not shrink crack or crumble over time



1 HOUR Eco Options Certified - Home Sealing, Clean Air (Low VOC) NAHB Research Center Green Approved



Certifications:

Weatherization/ Air Sealing

Spring Spruce Up



8

Product is not paintable



NAHB Research center Green Approved use counts towards points for green building

GE caulks are the first and currently the only caulks to be certified



WHY 100 PERCENT SILICONE?

Waterproof—Acrylic breaks down in water over time.

Flexible—Acrylic becomes less flexible and can even freeze at low temperatures, making it more likely to crack. **Shrink-proof**—Acrylic shrinks as the caulk dries. This shrinking

can cause cracks over time.


Crack-proof—Acrylic hardens, cracks, and crumbles over time when exposed to extreme heat and the sun's UV rays.

GE Product Positioning

						uct Positioning			
GE Sili	cone II -	Three I	nour rain-/ sho		-	year mold-free product protection. Product should be positioned and			
		Silic	one II Kitchen		sed along	g with 'better' products. Silicone II Window & Door			
SKUs	362-662		White	THD Retail	\$5.97				
	469-296		Clear	THD Retail	\$5.97				
	502-057	9.8 oz	Almond	THD Retail	\$5.97	362-646 9.8 oz Clear THD Retail \$ 5.89			
squeeze	398-942		White	THD Retail	\$3.89	362-654 9.8 oz White THD Retail \$ 5.97			
squeeze	469-301	2.8 oz	Clear	THD Retail	\$3.89	· · · · · · · · · · · · · · · · · · ·			
						387-789 9.8 oz Brown THD Retail \$ 5.97			
						896-325 9.8 oz Almond THD Retail \$ 5.97 493-007 2.8 oz Clear THD Retail \$ 3.89 squeeze			
Key Fea	tures.					493-007 2.8 oz Clear THD Retail \$ 3.89 squeeze Key Features:			
		r-ready ca	aulk with five year	r mold-free	Д	Three hour rain-ready, sun-/freeze-proof caulk for windows,			
			ens, baths, and p	lumbing.		doors, attics and basements			
	WER-RE - Builds st		d adhesion quickly			3 HR RAIN-READY - Builds strength and adhesion quickly			
	- Won't wa	ash away	when hit by water			- Won't wash away when hit by rain			
			convenience and e se of the bathroom		7	- Increases speed, convenience and efficiency - Won't delay the project if rain is in the forecast			
			T PROTECTION	ioi a iuii uay	ilicone	SUN/ FREEZE PROOF			
	- Withstan	ds exposi	ure to water and hu		Allerandon (E)	- Will not crack or loose flexibility when exposed to			
			cts against mold ar the home which c		3 910	harsh outdoor elements Permanent flexibility helps keep caulk from breaking			
	health issu			arraido podo	5	down as a home settles			
			mold- and mildew	- free for five		- Helps prevent gaps where air and water can seep			
)	years, with	regular c	Jeaning			through - Gaps can lead to water damage, mold growth and			
						higher energy bills			
	nal Feat	ures:		2	電影	Additional Features:			
100% S		ently Mate	erproof - silicone is	impervious to		100% Silicone - Permanently Weatherproof - withstands all weather conditions, and remainded to the conditions of the con			
			er can't penetrate i			 Permanently Weatherproof - withstands all weather conditions, and remain permanently waterproof and flexible 			
	- Will not s		ick or crumble over			- Will not shrink, crack or crumble over time			
Certifica		-1 (0)	Ai=(1) (20)			Certifications:			
			Air/ Low VOC) en Approved			Eco Options Certified - Home Sealing, Clean Air (Low VOC) NAHB Research Center Green Approved			
	nended					Recommended For:			
	ildew Prote	ection				Weatherization			
Spring Sp	ruce Up Bath proje	ooto				Earth Day Eco Options			
KILCHEH &	balli pioji	ecis				Spring Spruce Up			
Product is	s not pair	ntable				Product is not paintable Silicone II Paintable Silicone			
						SKUs 838-926 9.0 oz White THD Retail \$ 5.97 627-160 9.0 oz Clear THD Retail testing Key Features: Three hour rain-ready, 30 minute paint ready caulk for use in exterior and inter-			
						applications. 3 HR RAIN-READY - Builds strength and adhesion quickly - Won't wash away when hit by rain			
						- Increases speed, convenience and efficiency - Won't delay the project if rain is in the forecast			
						30 MIN PAINT READY			
						- Durability and adhesion of 100% silicone - Paintability of an acrylic.			
						- Paint with a brush or roller after only 30 minutes or			
						spray paint immediately			
						Additional Features: Paintable Silicone			
						- Permanently Weatherproof - withstands all weather conditions,			
						and remains permanently waterproof and flexible			
						- Will not shrink, crack or crumble over time Certifications: New Cartridge - hittir			
						Eco Options Certified - Home Sealing, Clean Air (Low VOC) stores 3Q'11			
						NAHB Research Center Green Approved			
						Recommended For Painting Projects: Weatherization - when painting is involved Available chain-wide in white. Crystal clear is			
						Weatherization - when painting is involved white. Crystal clear is Earth Day - when painting is involved being tested in select			
						Eco Options - when painting is involved markets.			
						Spring Spruce Up - when painting is involved			
		Silic	one I Kitchen	& Bath	GE	Silicone I Window & Door			
SKUs	125-068		White	THD Retail		OT SKUs 502-030 9.8 oz Clear THD Retail \$ 4.47			
	837-655	9.8 oz	Clear	THD Retail	\$4.97	· · · · · · · · · · · · · · · · · · ·			
Key Fea		rnroct 46	00% silicono estall	for kitchens and		Key Features:			
Permanei bathroom		rproof, 10	∞ silicone cauli	TO KITCHENS and	n	Permanently weatherproof, 100% silicone caulk for windows, doors, attics and basements.			
	nal Feat	ures:			A	Additional Features:			
100% S	ilicone				2115	100% Silicone			
			rproof - silicone is		0 ==	- Permanently Weatherproof - withstands all weather conditions,			
			er can't penetrate i ick or crumble over		sticon	and remains permanently waterproof and flexible - Will not shrink, crack or crumble over time			
Certifica		, 014			Andread Control of the Parties of th	Certifications:			
Eco Optio	ns Certifie		Air/ Low VOC)		ES	Eco Options Certified - Home Sealing, Clean Air (Low VOC)			
NAHB Re	search Ce	nter Gree	en Approved			INAND Research Center Green Approved			
	nended					Recommended For:			
	ildew Prote ruce Up o		pudaet		1	Weatherization Earth Day			
	Bath proje		- 190.		H all	Eco Options			
						Spring Spruce Up on a tight budget			
Product is	s not pair	ntable				Product is not paintable			

			HOME DEPOT USA	
Part #	GE Part #	cont	Description	size (oz)
362646	GE5000	24C	GE Silicone II Window & Door Clear	9.8
362654	GE5010	24C	GE Silicone II Window & Door White	9.8
387762	GE5030	12C	GE Silicone II Window & Door Black	9.8
387789	GE5080	12C	GE Silicone II Window & Door Brown	9.8
175391	GE50.08	12C	GE Silicone II Window & Door Lt Gray	9.8
896325	GE5096	12C	GE Silicone II Window & Door Almond	9.8
269200	GE5097	12C	GE Silicone II Window & Door Bronze	9.8
362670	GE5020	12C	GE Silicone II Concrete & Masonry Lt Gray	9.8
124345	GE50G.01	12C	GE Silicone II Gutter and Flashing	9.8
838926	GE7000	12C	GE Silicone II Paintable - White	9.0
627160	M90033	12C	GE Silicone II Paintable - Cyrstyal Clear	9.0
942324	M90007	12C	K/B Supreme, white	9.8
921854	M90006	12C	K/B Supreme, clear	9.8
318159	M90016	12C	W/D Supreme, clear	9.0
317656	M90015	12C	W/D Supreme, white	9.0
792637	M90026	12C	Groov, WD, white	9.0
792604	M90025	12C	Groov, KB, white	9.0
192004	10190023	120	GIOOV, NB, WINE	9.0
362662	GE5070	24C	GE Silicone II Kitchen & Bath White	9.8
469296	GE5040	24C	GE Silicone II Kitchen & Bath Clear	9.8
502057	GE5060	12C	GE Silicone II Kitchen & Bath Almond	9.8
502030	GE012A	24C	GE Silicone I Window & Door Clear	9.8
502049	GE112A	24C	GE Silicone I Window & Door White	9.8
837655	GE612	24C	GE Silicone I Kitchen & Bath Clear	9.8
125068	GE712	24C	GE Silicone I Kitchen & Bath White	9.8
493007	GE500 3TG	3TG	GE Silicone II Window & Door Clear	2.8
398942	GE281 3TG	3TG	GE Silicone II Kitchen & Bath White	2.8
469301	GE284 3TG	3TG	GE Silicone II Kitchen & Bath White	2.8
648435	GE60.01 12C	12C	GE Advantage Silicone Clear	10.1
648463	GE60.02 12C	12C	GE Advantage Silicone White	10.1

Suggested GE Caulk Rack Locations





GE Silicone Special Buys



Q3 Weatherization 2013



GE Silicone II Window & Door Clear- NLP



Department: 24SKU(s): 362-646

Regular Retail: \$6.24

Special Buy Retail: \$5.92

NLP: YES

units in display: 96 or 144Suggested timing: Q3- MAP

BYO's: ALL

Locations: Conversion Cart

GE Silicone II Window & Door- Clear

• New lower price!!!

• Ideal for Fall Weatherization Projects



GE Silicone KB Supreme BOGO- Great American Fix Up!



Department: 24SKU(s): 942-324

Regular Retail: \$16.44Special Buy Retail: \$8.22

NLP: NO

units in display: 48 or 72 countSuggested timing: GAFU Event in Q3

BYO's: ALL

GE Silicone KB Supreme BOGO- White

• BOGO- Buy one Get one FREE!!!

• Ad event breaks late August

